

### **ABOUT US**



#### WE ARE LOCATED WHERE OUR CLIENTS NEED US -

The Secure Brand in Advanced Surveillance & Security Solutions with formerly Known as CTC IMPEX. It started in year 2007 with vision and commitment to make Security and Surveillance Solutions with an ease of use with Simplicity and Affordability.

Our comprehensive range of Solutions and Products are Monitoring & Securing millions locations across the INDIA, from Highly sensitive defense locations, Government Buildings, Vital Infrastructures to Transportation, Hotels, Hospitals, educational institutes to Homes, with highly satisfied customer base. Today, V V CAMS is also a technology shifter from TVL to HD revolution. V V CAMS — "STAY SECU RED, STAYASS U RED "can surely fit into existing security architectures while keeping Face with future technological development.

V V CAMS offers an extensive portfolio of the finest end-to-end imaging, intelligent analog, HDCVI, hybrid and IP video surveillance equipment ranging from CCTV cameras, high-definition IP video surveillance cameras and speed domes to DVRs, NVRs, Mobile DVRs, Encoders and video door phones. It also provides Attendance solutions, accessories, customized enterprise level security, home and Enterprise solutions and much more.

#### **COMPANY STRATEGY:**

#### **MISSION:**

We pride ourselves on delivering the world's best security products through operational excellence and innovation process. As we look forward to exploring new innovation in security, we are excited for new challenges and opportunities ahead. To inspire the world with innovative technology, security products and designs that enrich People's lives and contribute to a socially responsible, sustainable and Secured Future.

#### **VISION:**

Our vision is to fulfill the requirements of our clients in every way you need. We are leaders in giving satisfaction and service in the provisions of quality cost effective security systems. We can provide a security solution for your business, offering CCTV, Access Control Systems and Integrated security Solutions to help secure the safety of your buildings and staff. All of our systems are bespoke created specifically for your needs. We are committed to finding our customers the best balance between price and quality, to help you achieve your ultimate solution.

VV CAMS with a Trending Theme " सब पर नज़र सबकी ख़बर" will Provide its customers with the highest standards of service, equipment and ethical behavior. We understand the importance of protecting your assets, your employees, your customers, your inventory and your business.

#### IP INDOOR OUTDOOR CAMERA

Pixe

5 Mega

Pixe

Mega

5

#### **NETWORK IP CAMERA SERIES**

Mega Pixel

Pixe

Mega

#### MODEL: VV1336DI-IP



1/3" CMOS Image Sensor
3 MP H/Resolution
3.6 mm fixed lense (6 mm opt)
Maximum 20/25 FPS @1080p/3MP
18 smart IR Range upto 15 to 20 mtr
H.265/H.264 Dual streem Enc.
3 DDNR, AGC, AWB, BLC supported

#### MODEL: VV1586DI-IP



1/2.9" CMOS Image Sensor
5 MP H/Resolution
3.6 mm fixed lens (6 mm opt)
Maximum 20/25 FPS @ 5 mp
6 Array Range upto 15 to 20 mtr
H.265/H.264 Dual stream Enc.
3 DDNR, AGC, AWB, BLC supported

#### **MODEL: VV2620WP-IP**



Pixe

Mega

Pixe

Mega

ന

1/3" CMOS Image Sensor
3 MP H/Resolution
3.6 mm fixed lense (6 mm opt)
Maximum 20/25 FPS @1080p/3MP
18 smart IR Range upto 15 to 20 mtr
H.265/H.264 Dual streem Enc.
3 DDNR, AGC, AWB, BLC supported

#### **MODEL: VV2688WP-IP**



Pixe

Mega

5



1/2.9" HD CMOS Image Sensor
5 MP H/Resolution
3.6 mm fixed lens
2 Array upto 15 to 20 Mtr
Support AHD/CVI/TVI/CVBs
3 DDNR, AGC, AWB, BLC supported

#### **COLOUR NIGHT VISION IP INDOOR OUTDOOR CAMERA**

#### **MODEL: VV1290DI-SLIP**



1/2.8" CMOS Image Sensor
3 MP H/Resolution
3.6 mm fixed lense (6 mm opt)
Maximum 20/25 FPS @1080p/3MP
2 Warm Led Range upto 20 to 25 mtr
H.265/H.264 Dual streem Enc.
3 DDNR, AGC, AWB, BLC supported

#### **MODEL: VV1290DI-SLIP**



1/2.9" CMOS Image Sensor
5 MP H/Resolution
3.6 mm fixed lens (6 mm opt)
Maximum 20/25 FPS @5MP
2 Warm Led Range upto 20 to 25 mtr
H.265/H.264 Dual streem Enc.
3 DDNR, AGC, AWB, BLC supported

#### **MODEL: VV2690WP-SLIP**



1/2.8" CMOS Image Sensor
3 MP H/Resolution
3.6 mm fixed lense (6 mm opt)
Maximum 20/25 FPS @1080p/3MP
2 Warm Led Range upto 20 to 25 mtr
H.265/H.264 Dual streem Enc.
3 DDNR, AGC, AWB, BLC supported

#### **MODEL: VV1290DI-SL IP**



1/2.9" CMOS Image Sensor
5 MP H/Resolution
3.6 mm fixed lens (6 mm opt)
Maximum 20/25 FPS @5MP
2 Warm Led Range upto 20 to 25 mtr
H.265/H.264 Dual streem Enc.
3 DDNR, AGC, AWB, BLC supported

#### SPECIAL IP CAMERA

#### **BIG BULLET**

**SMP** 

4MP

Pixel

Mega



6mm To 50 Mm Lens Available (Make Customize)

#### **COLOUR NIGHT VISION**



**SMP** 

3MP 4MP

CUS

O

**COLOUR VIEW CAMERA** 6mm To 50 Mm Lens Available (Make Customize)

#### **IP FISHEYE CAMERA**



**SMP** 

4MP

MOTORIZED

**MODEL: VV-FISHEYE-IP** 1/2.9" HD CMOS Image Sensor 3 MP, 4 MP, 5 MP H/Resolution Maximum 20/25 Fps @1080p/3 MP 1.8 mm fixed lens 3 Array LED Range upto 15 to 20 Mtr Day/Night, DNR, AGC, AWB, BLC

#### Varifocal IP Bullet

# 3MP/4MP/5MP



#### MODEL: VV-2448VF-IP 1/2.9" CMOS Image Sensor 3MP/4MP/5MP H/Resolution 2.8 to 12 mm VF lens (4X) 24 Smart IR LED Maximum 25 FPS @1080 W/P standard IP-66 H.264/H.265 Dual streem Enc.

#### **NETWORK VIDEO RECORDER 5MP SERIES**

#### 8CH/16CH/32CH

## QYYCAM5 **FEATURES**

Alarm center etc.)

Support with H.264/H.265 video compression HDMI/VGA simultaneously output Support 1CH/2CH Simultaneously Playback Support DHCP, FTP, DNS, NTP, UPNP, EMAIL, WiFi Support ONVIF protocol &upto 5 mp supported Support WEB, CMS Platform. Support mobile phone monitoring (IOS Android) cloud series, p2p, NTP, UPNP, EMAIL, IP searches,

#### **SMART AUTO FOCUS NETWORK CAMERA**

#### IP PTZ 3MP | 5MP



#### MODEL: VV-PTZ30X-IP

1/2.8" CMOS Image Sensor 3 | 5MP H/Resolution 30X Zoom lens 8 Big IR LED range upto 100-120mtr Day/Night, DNR, AWB, AGC, BLC W/P Standard IP-66

#### IP 3MP | 4MP | 5MP



#### MODEL: VV-AF2777-IP

1/2.9", 5MP progressive scan ultra-low illumination CMOS 2.7-13.5mm motorized zoom lens, Color: 0.1Lux@F1.2; B&W: 0Lux@F1.2 (IR on) H.265, H.264, DWDR, BLC/3D DNR/ROI.HLC

#### IP 3MP | 4MP | 5MP



#### MODEL: VV-AF1470-IP

1/2.9", 5MP progressive scan ultra-low illumination CMOS 2.7-13.5mm motorized zoom lens, Color: 0.1Lux@F1.2; B&W: 0Lux@F1.2 (IR on) H.265, H.264, DWDR, BLC/3D DNR/ROI.HLC

## AHD INDOOR OUTDOOR CAMERA

#### **AHD CAMERA SERIES**

Mega

LO

2 Mega Pixel

Mega

### MODEL: VV1336DI-AHD



1/2.9" HD CMOS Image Sensor 2 MP H/Resolution (1080P) 3.6 mm fixed lens (6 mm opt.) Smart IR 15 to 20 Mtr Support AHD/CVI/TVI/CVBs 3 DDNR, AGC, AWB, BLC supported

#### **MODEL: VV1406DI-AHD**



1/2.9" HD CMOS Image Sensor
5 MP H/Resolution
3.6 mm fixed lens (6 mm opt.)
12 IR Range upto 15 to 20 Mtr
Support AHD/CVI/TVI/CVBs
3 DDNR, AGC, AWB, BLC supported

#### **MODEL: VV2620WP-AHD**



Pixel

Mega

Pixe

Mega

1/2.9" HD CMOS Image Sensor
2 MP H/Resolution (1080P)
3.6 mm fixed lens (6 mm opt.)
Smart IR 15 to 20 Mtr
Support AHD/CVI/TVI/CVBs
3 DDNR, AGC, AWB, BLC supported

#### **MODEL: VV2720WP-AHD**



1/2.9" HD CMOS Image Sensor
5 MP H/Resolution
3.6 mm fixed lens (6 mm opt.)
12 IR Range upto 15 to 20 Mtr
Support AHD/CVI/TVI/CVBs
3 DDNR, AGC, AWB, BLC supported

#### **COLOUR NIGHT VISION AHD INDOOR OUTDOOR CAMERA**

Pixel

5 Mega

Pixe

Mega

#### MODEL: VV1290DI-AHD



1/2.9" HD CMOS Image Sensor 2 MP H/Resolution 3.6 mm fixed lens (6 mm opt.) 2 Warn Led Range upto 20 to 25 Mtr Support AHD/CVI/TVI/CVBs 3 DDNR, AGC, AWB, BLC supported

#### **MODEL: VV1290DI-AHD**



1/2.8" HD CMOS Image Sensor
5 MP H/Resolution
3.6 mm fixed lens (6 mm opt.)
2 Warn Led Range upto 20 to 25 Mtr
Support AHD/CVI/TVI/CVBs
3 DDNR, AGC, AWB, BLC supported

#### **MODEL: VV2690WP-AHD**



1/2.9" HD CMOS Image Sensor
2 MP H/Resolution
3.6 mm fixed lens (6 mm opt.)
2 Warm Led Range upto 20 to 25 Mtr
Support AHD/CVI/TVI/CVBs
3 DDNR, AGC, AWB, BLC supported

#### **MODEL: VV2890WP-AHD**



1/2.8" HD Image Sensor
5 MP H/Resolution
3.6 mm fixed lens (6 mm opt.)
2 Warm Led IR Range upto 20 to 25 Mtr
Support AHD/CVI/TVI/CVBs
Day/Night, DNR, AGC, AWB, BLC
W/P Standard IP-66

#### SPECIAL AHD CAMERA

2 Mega Pixel

Pixel

Mega

#### **MODEL: VV1236DI-OSD**



1/2.9" HD CMOS Image Sensor 2 MP H/Resolution (1080P) 3.6 mm fixed lens 12 IR Range upto 15 to 20 Mtr Support AHD/CVI/TVI/CVBs 3 DDNR, AGC, AWB, BLC supported

#### DIGITAL VIDEO RECORDER AHD | TVI | CVI

#### 4CH/8CH/16CH



Support AHD, CVBs, TVI, CVI, IP Self adaptive
Support VGA, HDMI, full HD output simultaneously
Support multiple cloud technology, network
penetration alarm information pushed to your
phone and other function
Support WEB, CMS Platform
5 MP-N Supported
Support multiple network services
(support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL, IP searches, Alarm Centre etc)

#### **MODEL: VV2236WP-OSD**



2 Mega

Mega

5

1/2.9" HD CMOS Image Sensor
2 MP H/Resolution (1080P)
3.6 mm fixed lens
12 IR Range upto 15 to 20 Mtr
Support AHD/CVI/TVI/CVBs
3 DDNR, AGC, AWB, BLC supported

#### **AHD PTZ CAMERA**

#### **MODEL: VV-PTZ36X-AHD**



1/2.8" CMOS Image Sensor 2| 5MP H/Resolution 36X Zoom Iens 8 Big IR LED range upto 100-120mtr Day/Night, DNR, AWB, AGC, BLC W/P Standard IP-66

#### **MODEL: VV-FISHEYE-AHD**



Mega

SWITCH

ш

Od

1/2.9" HD CMOS Image Sensor
2 MP H/Resolution
1.8 mm fixed lens
6 Array LED Range upto 15 to 20 Mtr
Support AHD/CVI/TVI/CVBs
Day/Night, DNR, AGC, AWB, BLC

#### **POE SWITCH**

#### 4CH/8CH/16CH



4+2 10 To 100 Mbps 8+2 10 To 100 Mbps 8+2 10 To 1000 Mbps Up-link Giga 8+2 1000 Mbps Full Giga 16+2 10 To 1000 Mbps Up-link Giga

#### **MODEL: VV-2448VF-AHD**

# 2 Mega Pixel



1/2.9" CMOS Image Sensor 2 MP H/Resolution (1080p) 2.8 to 12 mm VF lens (4X) 24 Smart IR LED Maximum 25 FPS @1080 W/P standard IP-66

#### **USB WEB CAMERA**

#### **720P USB WEBCAM**

1 Mega Pixel



**WWW.VVCAMS.COM** 

#### **WIFI CAMERA RANGE**

#### 2MP IP Wi-Fi Onvif CAMERA



#### MODEL: VV1999-WP-IP/VV1470-DI-IP

3.6mm HD lens ,CMOS sensor
H. 265 main profile video compression
P2P technology, plug and play
TF card maximum support 128G
Wired Ethernet or Wireless Wi-Fi connection
Motion detection, email alert, FTP upload.
Support two way audio, multiple users viewing
Support night vision ,15m IR distance
Ethernet port and two antena

#### 2MP IP WIFI PTZ V380 pro



#### 2MP IP WIFI PTZ V380 pro

Pixel

2 Mega

Mega

APP:V380 Pro,System structure: Resolution:2.0MP Network connection: WIFI, AP hotspot , WIFI wireless transmission (support IEEE802.11b/g/n wireless protocol).

#### **2MP IP Wi-Fi CAMERA**



Mega

#### MODEL: VV2888DI-IP

APP:V380 Pro,System structure:
Resolution:2.0MP,Sensor
LED quantity:4pcs white LED + 2pcs Infrared LED,
Network connection:WIFI, AP hotspot,
WIFI wireless transmission
(support IEEE802.11b/g/n wireless protocol).

#### **2MP Robot Camera**



2MP Robot Camera APP:V380 Pro

#### **4G WIFI CAMERA**

#### **IP 3MP DOME Camera**



#### **3MP 4G SIM BASE CAMERA**

esolution: 3 MP (2304x1296),

- Lens: 3.6mm, Audio in: Built-in Mic,
   Audio out: Built-in Speaker (loud and clear sound),
- Communication: 2 Way,4G Sim Card and SD Card with proper protection, Connection Mode: 4G Sim, Storage: SD Card 128GB Max

#### **IP 3MP Bullet Camera**



#### **3MP 4G SIM BASE CAMERA**

CameraResolution: 3 MP (2304x1296),

• Lens: 3.6mm, Audio in: Built-in Mic,
Audio out: Built-in Speaker (loud and clear sound),

• Communication: 2 Way,4G Sim Card and SD Card

with proper protection, Connection Mode: 4G Sim, Storage: SD Card 128GB Max

#### **4G SIM BASE ROUTER**

#### **4G ROUTER OUTDOOR**



#### 4G SIM BASE ROUTER

**POWER CABLE** 

4G (All SIM Support)
INDOOR | OOUTDOOR USE
POWER: 220v
CAT6 Cable

Mega

#### **4G ROUTER**



#### **LAN Port**

3 Antenna WIFI
4G (All SIM Support) Power Adapter CAT6Cable
Access Point Function



## **VV TECHMART**

**⊕** www.vvcams.com **□** info@vvcams.com

FOLLOW US ON













https://socialnetwork/vvcams